



## Domestic Hot Water Chiller

Commercial / NXW120-360  
Water Source/Geothermal Heat Pump



### PRODUCT FEATURES:

- **Dedicated heat recovery** operation
- High efficiency, **scroll compressors with R-410A**
- **Flexible application** for water source, ground loop and chiller plant operations
- Stainless steel, double walled, vented, high efficiency **brazed plate heat exchangers (domestic hot water)**
- Stainless steel, single walled, high efficiency **brazed plate heat exchangers (Source Water)**
- **Electronic expansion valve** for superior super heat and sub-cooling control
- **Aurora with HydroLink2 controls platform** with large color touchscreen display
- **Carbon footprint reduction** by reducing dependency on natural gas
- Domestic hot water storage tanks **available in 80 and 120 gallon sizes**



Vertical Cabinets	Overall Cabinet Dimensions			
	A (WIDTH)	B (DEPTH)	C (HEIGHT)	
120-180	in.	24.1	42.5	57.3
	cm.	61.2	108.0	145.6
240-360	in.	24.1	50.5	64.2
	cm.	61.2	128.3	163.1

# DOMESTIC HOT WATER CHILLER - NXW120-360

## STORAGE TANKS KEY FEATURES

### ALL COLD CONNECTIONS

**FACTORY INSTALLED TEMPERATURE /PRESSURE RELIEF VALVE:** UL Certified for electric water heaters and water storage.


**GLASS-LINED TANK WITH TWO ANODE RODS:** Primary and secondary aluminum anode rods provide maximum protection against corrosion.

**BRASS TAMPER-RESISTANT DRAIN VALVE:** Provides durability and longer life than plastic valves.




Model Number	Gallon Capacity	Element Wattage (240 Volt)	Recovery 90°F Rise Gallons/hr	Numbers of Elements	R Value	Dimensions in Inches		Approx. Shipping Weight (lbs)
						Height	Diameter	
<b>GEO-STORAGE-80</b>	80	4500	21	1	16	63-1/4	24	204
<b>GEO-STORAGE-120</b>	119	4500	21	1	16	63-1/4	28	311

**Side View**



**Top View**



visit us at [waterfurnace.com](http://waterfurnace.com)

AB2502WN 08/21