



Quick Ship

Versatec 300

Meets ASHRAE 90.1 efficiency with the
smallest cabinet in the industry



The Quick Ship Program


WaterFurnace Commercial Solutions Group is now offering quick shipment on a select range of Versatec Compact units to support a growing demand for replacement water source heat pumps. This program currently allows a maximum of 6 units of any one size with a maximum of 20 total units in one order and is available with the configurations and options listed inside.

Versatec Compact Configuration Options



Maximum of 6 units per size and voltage with a total of 20 units per order
(call customer service if a higher quantity is needed)

- Vertical or Horizontal cabinets
- Left or Right Return Air
- Discharge Air: top (vertical), end or side discharge (horizontal)
- Sizes: Single Speed: 012, 018, 024, 030, 036, 041 (vertical), 042, 048, 060, 070
- Voltages: 208-230/60/1, 265-277/60/1, 208-230/60/3, 460/60/3
- Blower Motor Options: 5-Speed ECM, ECM constant torque on 012
- All-Aluminum Air Coil
- Insulated Cupronickel Water Coil
- 4-Sided Filter Rack
- Optional Sound Kit (Not available on V3AH012)
- Optional Electronic Disconnect
- Optional Stainless Steel Drain Pan
- Optional 2-way Internal Valve (018-070)
- Optional UPC DDC Controller (BACnet)

Nomenclature



Model Sizing



Model	A	B	C
012	19.2	19.2	24.2
018	22.5	22.2	30.2
024-030	22.5	22.2	36.2
036	22.5	26.2	40.2
041	21.5	21.5	40.2
042-048	22.5	26.2	44.2
060	25.5	31.2	44.2
070	25.5	31.2	48.2

Model	A	B	C
012*	19.2	35.0	12.1
015-018*	22.5	35.0	17.2
024-030	22.5	42.0	17.2
036	22.5	42.0	19.2
042-048	22.5	45.0	19.2
060	25.5	48.0	21.2
070	25.5	53.0	21.2

*No sound blanket




ASK US HOW YOU CAN SAVE UP TO 50% ON YOUR NEXT COMMERCIAL PROJECT

With the Inflation Reduction Act, projects completed with a geothermal loop and heat pumps may qualify for:

- 30% bonus rate
- 10% bonus rate for domestic content
- 10% Energy Community bonus
- Up to \$5 per square foot tax deduction
- 5-year accelerate depreciation and a 1-year bonus depreciation



SCAN TO
LEARN MORE

Performance Data and Unit Ratings can be found on  [WeDoGeo.com](https://www.wedogeo.com)
Contact your WaterFurnace Sales Representative for assistance.



All Versatec 300 Series models are safety listed under UL 60335-2-40 through ETL, and performance listed with AHRI in accordance with ASHRAE/ANSI/AHRI/ISO Standard 13256-1.